

STONE HANDLING TOOLS AND EQUIPMENT



- ✓ Attach to most relatively smooth, nonporous stone
- ✓ Easy one-person operation
- ✓ No more wrestling with dangerous slings, tongs, or hooks
- ✓ Easy maintenance
- ✓ AC, DC or Compressed Air vacuum pumps


Wood's Powr-Grip® Vacuum Lifting Tools & Equipment

The Safe and Trusted Way to Handle Stone Slabs, Tile, Counter Tops, and More!

HAND-HELD VACUUM CUPS

- ✓ Multiple pad sizes for a large variety of applications.
- ✓ Handle bath tiles, floor tiles, façade slabs, counter tops and more!
- ✓ Available with ABS handles that resist rust from wet stone-working conditions.
- ✓ Position awkward loads with precision.

N4950TS



N4300


BELOW-THE-HOOK VACUUM LIFTERS

- ✓ Lift stone slabs weighing up to 3000 lbs [1360 kg].*
- ✓ Ideal for transporting stone slabs between racks, CNC machines, slab saws and cutting tables.
- ✓ Can attach to granite, marble, limestone, slate and more!
- ✓ Replaceable Pad Rings seal onto stone with saw-cut, honed, or even flamed finish—in addition to polished stone surfaces.
- ✓ Pad Shutoffs make these lifters well-suited for lifting irregularly shaped slabs, like counter tops.

MT8FS10TAIR



PT10FS10TAIR



*Custom designs available

OUR PRODUCTS*

MODEL NUMBER	MAX LOAD CAPACITY	LOAD MOVEMENT	FEATURES
Hand-Held Vacuum Cups			
LJ45HG	40 lbs [18 kg] per cup	Ergonomic Manual Movement	Handi-Grip handle for maximum control. Concave pad for curved or flat surfaces.
LP6HG	70 lbs [32 kg] per cup		Handi-Grip handle for maximum control. Flat pad for quick attachment.
N4000TS	125 lbs [57 kg] per cup		ABS handle will not rust. Flexible pad for textured surfaces.
N4100	100 lbs [45 kg] per cup		Ideal for high elevations. ABS handle will not rust.
N4300	125 lbs [57 kg] per cup		Metal handle resists grit and contaminates. ABS plunger will not rust.
N4950TS	125 lbs [57 kg] per cup		Metal handle for durability. Flexible pad for textured surfaces.
N5450CS	150 lbs [68 kg] per cup		Concave pad for curved or flat surfaces. Metal handle for durability.
RF36HG	40 lbs [18 kg] per cup		Oval pad for narrow surfaces. Handi-Grip handle for maximum control.
TL3TH	15 lbs [7 kg] per cup		Concave pad for curved or flat surfaces.
TL6HG	70 lbs [32 kg] per cup		Concave pad for curved or flat surfaces. Handi-Grip handle for maximum control.
Below-the-Hook Vacuum Lifters			
MTA8FS10TACS MTA8FS10TDCS	1200 lbs [545 kg]	Assisted manual tilt, 90° between upright and flat	Quadra-Tilt™ linkage assists in handling heavy loads. Individual shutoffs to all vacuum pads.
MTA8LP6FAC MTA8LP6FAIR	360 lbs [165 kg]		Ideal for installing counter tops. Infinitely variable pad positioning. Individual shutoffs to all vacuum pads.
MT8FS10TAC MT8FS10TAIR MT8FS10TDC	1200 lbs [545 kg]	Manual tilt, 90° between upright and flat	Narrow profile for maneuvering lifter between racks of stone slabs. Individual shutoffs to all vacuum pads.
MT10FS10TAC MT10FS10TAIR MT10FS10TDC	1500 lbs [680 kg]		Narrow profile for maneuvering lifter between racks of stone slabs. High capacity for heavy loads. Individual shutoffs to all vacuum pads.
PT4FS10TAC PT4FS10TAIR PT4FS10TDC	600 lbs [270 kg]	Power tilt, 90° between upright and flat	Maximum versatility for handling stone and other high-density materials, including those with rough surfaces or irregular shapes. Individual shutoffs to all vacuum pads.
PT10FS10TAC PT10FS10TAIR PT10FS10TDC	1500 lbs [680 kg]		Powered tilting makes handling heavy loads easy. Individual shutoffs to all vacuum pads.

* More models and options available. For additional information please visit wpg.com or contact your Authorized WPG Dealer.

