


GLASS INSTALLATION

Vacuum Equipment



THE ORIGINAL AND
TRUSTED NAME
IN GLASS-HANDLING TOOLS
AND EQUIPMENT



HAND-HELD VACUUM CUPS

N-SERIES

- Put a handle where you need it on flat, curved or even pattern glass.
- Install any size window or patio door that can be lifted manually.
- Handle shower doors, bath enclosures and most other products made from nonporous materials.



BEST-SELLING VACUUM LIFTERS

P11104DC3, MRT411LDC3


- Intelli-Grip® Technology dramatically improves safety and reliability.
- Narrow form of P1 enables it to work where other lifters can't.
- P1 is also available for curved glass handling (P110C04DC3).
- MRT4 adapts to a wide variety of glass sizes and shapes.



QUADRA-TILT™ ROTATORS

MRTA811LDC3, MRTALP811LDC3, MRTALPCH611LDC3


- Intelli-Grip® Technology dramatically improves safety and reliability.
- Mechanical advantage of tilt linkage significantly reduces operator effort.
- Highly adaptable lift frames handle glass for almost any installation.
- Optional adapter enables MRTA8 lifters to handle convex or concave loads.
- Low-profile design allows MRTALP lifters to fit inside scaffolding or other narrow spaces.
- MRTALPCH6 is also available for curved glass handling (MRTALPCH610CDC3).



BIG GLASS LIFTERS


PRT489CDC3, MRPT1611LDC3

- Intelli-Grip® Technology dramatically improves safety and efficiency.
- As glass sizes continue to increase, these lifters provide your installation solution!
- MRPT16 features remotely controlled powered tilt and a highly adaptable lift frame for flat glass up to 2800 lbs (1270 kg).
- MRPT is also available for curved glass handling (MRPT209CDC3).
- PRT48 provides effortless powered rotation and tilting of concave or convex glass up to 5600 lbs (2540 kg).














AVAILABLE OPTIONS

- **Counter-Balancers** adjust the hang angle of the lifter or load as needed for each job, while also providing the ability to reach under eaves, gables and other overhanging obstacles; radio controls enable remote use.
- **Remote Control Systems** control attach, release and other powered functions (when applicable) up to 250' (76 m) away for installing windows and more in multi-story buildings.
- **Forklift Adapters** work with telehandlers on construction sites and forklifts in warehouses or wherever a crane is not practical.
- **Shipping Cases** provide protection for storing and shipping the lifter.
- Wood's Powr-Grip® and a number of our dealers have lifters available for lease!



SELECTING YOUR LIFTER

Lifting Equipment	Hand-Held Vacuum Cups  N-Series	Ladder Lift  LL185WC	Vertical Lifter 300  VL2MAN	All-Terrain Dolly  ATD1
Intended Use	Lifting and Transport			
Load Capacity	125 lbs (57 kg)	185 lbs (85 kg)	300 lbs (136 kg)	400 lbs (180 kg)
Maximum Pad Spread	8" (20 cm)	8" x 41½" (20 cm x 105 cm)	12" x 45-1/2" (30 cm x 116 cm)	N/A
Special Features	Portable	Portable / For any ANSI Type IAA Ladder	Inexpensive way to put vacuum cups to work using hoisting equipment	Manually move loads around a job site more efficiently

Vacuum Lifter	Channel Lifter 700  P11104DC3	Manual Rotator/Tilter 700  MRT411LDC3	Low-Profile Manual Rotator/Tilter 1100 with Pad Channel  MRTALPCH611LDC3	Low-Profile Manual Rotator/Tilter 1100  MRTALP811LDC3	Quadra-Tilt Rotator 1400  MRTA811LDC3	Manual Rotator/Power Tilter 2800  MRPT1611LDC3	Power Rotator/Tilter 5600  PRT489CDC3 (Custom Order)
Load Movement	180° Rotation & 90° Tilt	360° Rotation & 90° Tilt	180° Rotation & Assisted 90° Tilt		360° Rotation & Assisted 90° Tilt	360° Rotation & Powered 90° Tilt	Powered 360° Rotation & Powered 90° Tilt
Load Capacity	700 lbs (320 kg)	700 lbs (320 kg)	1100 lbs (500 kg)	1100 lbs (500 kg)	1400 lbs (635 kg)	2800 lbs (1270 kg)	5600 lbs (2540 kg)
Maximum Pad Spread	51" x 12" (130 cm x 30 cm)	48¼" x 67½" (123 cm x 172 cm)	79¼" x 12" (201 cm x 30 cm)	52¾" x 92½" (134 cm x 235 cm)	58¾" x 92¼" (149 cm x 234 cm)	148½" x 52½" (377 cm x 133 cm)	41¼" x 243¼" (105 cm x 618 cm)
Special Features	Narrow Lift Frame	Highly Adaptable Lift Frame	Mechanically Assisted Tilt Linkage / Narrow Lift Frame	Mechanically Assisted Tilt Linkage / Highly Adaptable Lift Frame		Effortless Powered Tilt / Highly Adaptable Lift Frame / Optional Integrated Counter-Balancer	Effortless Powered Tilt & Powered Rotation / Highly Adaptable Lift Frame / Integrated Counter-Balancer
Intelli-Grip® Technology	✓	✓	✓	✓	✓	✓	✓
Curved Glass Handling	Optionally Available		Optionally Available		Optionally Available	Optionally Available	Standard
Available for Lease	✓		✓		✓	✓	✓

WHY CHOOSE POWR-GRIP® VACUUM LIFTERS?

Experience and Innovation from the Industry Leader

- More than 60 years of vacuum handling experience
- Advanced expertise in materials handling equipment
- Commitment to improve worker and jobsite safety
- Cutting-edge technology at competitive prices

Appealing Selection of Products

- Extensive product lines
- Best selection of hand cups and vacuum lifters anywhere
- Specific designs for glass, stone, metal, insulated panels and more
- Wide variety of load motions available
- AC, DC or compressed air power sources

Highest Quality Available

- Vacuum cups (suction cups) are what we do.
- Vacuum lifters are not just a part of our product line, we specialize in them.
- Every single product is inspected and tested before shipping.
- Vacuum lifters fulfill ASME/ANSI and CE/UKCA Design Standards
- Quality assurance process emphasizes continuous improvement

Outstanding Customer Service

- Best customer satisfaction in the business
- Responsive staff for technical service needs
- Advanced engineering with customer-centered approach
- Operating Instructions available in multiple languages
- Full-service technical support

Intelli-Grip® Technology


- LCD screen displays critical information at a glance.
- Automated safety features protect people and loads.
- User-friendly command prompts reduce human error.
- Diagnostic codes help keep lifter in good condition.
- Use your Android- or iOS-powered smartphone, tablet or other device on the jobsite to check vacuum levels, battery energy level and more on your WPG lifter!

In an industry where one small mistake or equipment malfunction can result in serious injuries, it's so important to know that your equipment won't let you down. Regardless of the size of the job, I have trusted **Wood's Powr-Grip's** suction cups for my company and my employees.

Dustin Anderson
President, Anderson Glass, LLC
Waco, Texas



DOWNLOAD
WPG INTELLI-GRIP® APP



908 West Main | Laurel, Montana 59044 U.S.A.
(1) 800.548.7341 | (1) 406.628.8231
contactus@wpg.com | www.WPG.com

